

S11	2	((future or speculative) adj1 (register\$1 or file\$1)) near4 (cycle\$1) near4 (restor\$3 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:39
S12	2	((future or speculative) adj1 (register\$1 or file\$1)) with (cycle\$1) near4 (restor\$3 or correct\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:48
S13	0	(power near4 (us\$3 or consum\$5)) near4 (reduc\$3 or decreas\$3) near4 ((increas\$3 or rais\$3 or maximiz\$3) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:51
S14	2	((power near4 (us\$3 or consum\$5)) near4 (reduc\$3 or decreas\$3)) with ((increas\$3 or rais\$3 or maximiz\$3) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:52
S15	6	((power near4 (us\$3 or consum\$5)) near4 (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:53
S16	34	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:55
S17	494	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:41
S18	565	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:41
S19	1	(future or speculative) near4 (restor\$3 near4 register\$1) near4 (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:42
S20	1	(future or speculative) with (restor\$3 near4 register\$1) with (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:42
S21	2	(future or speculative) same ((restor\$3 near4 register\$1) with (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:48

S22	2	((future or speculative) same ((restor\$3 near4 register\$1) same (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 11:48
S23	6	((future or speculative) same ((restor\$3 with register\$1) same (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 12:18
S24	6	((future or speculative) same ((restor\$3 with register\$1) same (clock near4 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 12:18
S25	6	((future or speculative) same ((restor\$3 with register\$1) same (clock with cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 12:22
S26	9	((future or speculative) with register\$1) same (restor\$3 same (clock with cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 12:20
S27	7	((future\$1 or speculati\$5) same ((restor\$3 with register\$1) same (clock with cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/23 12:22
S28	38	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:17
S29	4	("5812200" "6249610" "6535148" "6539060").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/23 12:35
S30	255	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 (cycle\$1 or frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:20
S31	227	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 (frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:22
S32	193	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) same ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 frequency))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:22

S33	102	((power with (us\$3 or consum\$5)) with (reduc\$3 or decreas\$3)) with ((increas\$3 or rais\$3 or maximiz\$3) with (clock adj1 frequency))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:23
S34	42	((power with (us\$3 or consum\$5)) near4 (reduc\$3 or decreas\$3)) with ((increas\$3 or rais\$3 or maximiz\$3) near4 (clock adj1 frequency))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:53
S35	43	((power with (us\$3 or consum\$5)) near4 (reduc\$3 or decreas\$3)) with ((increas\$3 or rais\$3 or maximiz\$3) near4 (clock adj1 frequenc\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/27 10:54
S36	1	(future or speculative) near4 (restor\$3 near4 register\$1) near4 (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:57
S37	21	((future adj1 file\$1) with (restor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:05
S38	0	((future or speculative) near4 (restor\$3 near4 register\$1)) with (clock near4 (single or individual))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:05
S39	1	("20020078326").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:15
S40	1	((future or speculative) with (restor\$3 near4 register\$1)) with (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:26
S41	1	((future or speculative) with (restor\$3 near4 register\$1)) with cycle\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:26
S42	2	((future or speculative) with (restor\$3 with register\$1)) with cycle\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:28
S43	13	((future or speculative) with (restor\$3 with register\$1)) same cycle\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:43
S44	1	((future or speculative) near4 register\$1) with (restor\$3 near4 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:40

S45	2	((future or speculative) near4 register\$1) same (restor\$3 near4 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:42
S46	2	((future or speculative) near4 register\$1) same (restor\$3 with cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:43
S47	2	((future or speculative) near4 register\$1) same (recover\$3 with cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:43
S48	4	((future or speculative) with (recover\$3 with register\$1)) same cycle\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:47
S49	0	((future or speculative) with (rebuild\$3 with register\$1)) same cycle\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 15:47
S50	15	(restor\$3 near4 register\$1) near4 (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 16:12
S51	7	(recover\$3 near4 register\$1) near4 (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 16:21
S52	32	((recover\$3 or restor\$3) near4 register\$1) with (clock adj1 cycle\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 16:22
S53	7	((recover\$3 or restor\$3) near4 register\$1) with ((single or individual or one or "1") near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/12/28 16:22
S54	18	(clock near4 (cycle\$1 or clock\$3)) with ((priorit\$3 or (background\$1 near4 foreground\$1)) near4 thread\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/03 16:10
S55	8	((future or speculat\$5 or temporar\$3 or predict\$5) near4 register\$1) with ((restor\$3 or retriev\$3 or writ\$3 or replac\$3) near4 (single or one or "1") near4 clock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:25
S56	4	((future or speculat\$5 or predict\$5) with register\$1) with ((restor\$3 or retriev\$3 or writ\$3 or replac\$3) with ((single or one or "1") near4 clock))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:27

S57	23	((future or speculat\$5 or predict\$5) with register\$1) same ((restor\$3 or retriev\$3 or writ\$3 or replac\$3) with ((single or one or "1") near4 clock))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:34
S58	6	((future or speculat\$5 or predict\$5) with file\$1) same ((restor\$3 or retriev\$3 or writ\$3 or replac\$3) with ((single or one or "1") near4 clock))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:37
S59	8157	(future or speculat\$5 or predict\$5) with file\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:37
S60	2377	future near4 file\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 10:37
S61	19	(future near4 file\$1) near4 mispredict\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:08
S62	0	(future near4 file\$1) near4 (resolv\$3 near4 clock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:07
S63	0	(future near4 file\$1) with (resolv\$3 near4 clock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:07
S64	0	(future near4 file\$1) with (mispredict\$3 near4 resol\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:08
S65	0	(future near4 file\$1) with (mispredict\$3 near4 resol\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:08
S66	34	(future near4 file\$1) with mispredict\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:08
S67	0	(future near4 file\$1) with (mispredict\$3 near4 clock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:09
S68	0	(future near4 file\$1) with (mispredict\$3 with clock)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:09

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	((future near4 file\$1) with mispredict\$3) and ((resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") with (clock or cycle)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:33
S1	457	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:42
S2	502	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:42
S3	1	(future adj1 file\$1) near4 (restor\$3) near4 ((one or single or "a" or individual) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:43
S4	1	((future adj1 file\$1) near4 (restor\$3)) with ((one or single or "a" or individual) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:43
S5	1	((future adj1 file\$1) near4 (restor\$3)) same ((one or single or "a" or individual) near4 (clock adj1 cycle\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:43
S6	9	((future adj1 file\$1) near4 (restor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:45
S7	19	((future adj1 file\$1) with (restor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/03/14 16:45
S8	472	(712/218).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 10:14
S9	523	(712/228).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:37
S10	0	((future or speculative) adj1 (register\$1 or file\$1)) near4 (cycle\$1) near4 (power near4 (reduc\$4 or lower\$3 or minim\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/24 11:38

S69	0	((future near4 file\$1) with mispredict\$3) same ((resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") near4 (clock or cycle))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:10
S70	0	((future near4 file\$1) with mispredict\$3) and (mispredict\$3 with (resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") near4 (clock or cycle))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:10
S71	0	((future near4 file\$1) with mispredict\$3) and (mispredict\$3 same ((resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") near4 (clock or cycle))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:11
S72	0	((future near4 file\$1) with mispredict\$3) and ((resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") near4 (clock or cycle))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:11
S73	1	((future near4 file\$1) with mispredict\$3) and ((resol\$5 or restor\$3 or reissu\$3 or retriev\$3) with ((single or one or "1") with (clock or cycle))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/01/04 12:11